BOX D-64

EDITYPER 100

Bulletin #76701
Rec'd 4/10/68

Automated Typewriting Systems



Epsco incorporated

Features



SIMPLICITY

Any typist can be trained to operate the EDITYPER in minutes. The paper tape reader is self-threading and all controls are located for maximum accessibility.

SUPERIOR QUALITY ASSURED

Production paper work is perfect, free from erasures, well-balanced, and easily read.

HIGHEST ECONOMY OF OPERATION

Every volume typing application is performed with speed, economy, and accuracy. Retyping and re-proofing of entire jobs just to make a few changes are eliminated. The typist produces at "best speed" because there is no fear of errors. While the EDITYPER is producing large quantities of material from the tape, the typist is free for other work.

AUTOMATIC CONTENT AND FORMAT CONTROL

The fully automatic erase function is provided by a unique approach. The programmed skip control automatically by-passes programmed characters, words, sentences, or paragraphs. Automatic indexing is provided. The complete editing feature gives the operator total control over the EDITYPER output content and format. The operator may correct, delete, add, and move content at will. New numbers, words, and even sentences and paragraphs can be inserted into the body of previously prepared material. The text automatically opens up to accept the additional content.

PUNCH AND READ CAPABILITIES

Punch and read capabilities are standard. Paper, papermylar, oiled, or unoiled tape of any color or opacity can be used as the recording/reproducing medium.

MODULAR DESIGN

The Reader/Punch unit is mounted in a separate, portable chassis. Various combinations of readers and/or punches are available, as required.

FULL SELECTRIC* ACTION

A small globe-shaped printing element containing all type characters skims across the page with less effort than ever before printing characters faster than the eye can see. Key clash and type bar pile-up are completely eliminated.

ULTIMATE IN COMPOSITION VERSATILITY

The type styles can easily be changed in seconds by replacing one snap-out element with another. This selective element versatility lets you choose the type style best for each application. Underscore, hyphen, backspace, space, and carriage return are standard.

SINGLE PASS OPERATION

Both a hard copy and a master output tape are rapidly prepared by the operator on the EDITYPER in the very first pass through the text material.

HUMAN-ENGINEERED CONSOLE

Using the latest human engineering techniques developed for the aero-space industry, the bouyant keyboard and sculptured keys provide a more confident, secure touch. All service keys are within finger's reach from the keyboard control area.

CARBON CONTRAST CONTROL

The impression force selector facilitates adjustment of the typing element impact for each different application.

LIGHT WEIGHT AND COMPACT

The two basic units may be placed anywhere side by side and are readily portable.

HIGHEST RELIABILITY

Long life contacts throughout will provide error-free performance under heavy usage conditions with minimum maintenance.

*T.M. of IBM Corporation

DESCRIPTION

The EPSCO EDITYPER 100 is a rugged, automatic typewriting system developed for high speed production of hard copy in ordinary typewriter fashion. Particularly useful for *all* communication, data processing, and information retrieval applications where original quality, error-free reproduction is required, the EDITYPER quietly supplies rapid, letter-perfect copies which may be freely and efficiently modified, as required. Unmatched reliability at lowest cost is offered together with absolute accuracy. The EDITYPER may be used for such applications as letter writing, mailing lists, reports and specifications. EDITYPER tape is a minimum cost, permanent storage medium with automatic, immediate, original quality recall.

THEORY OF OPERATION

Standard information which is used again and again is recorded by the EDITYPER on a punched tape medium and stored for future use. The original text material is typed only once in a normal fashion. Simultaneously, the information is stored on the low-cost recording medium, punched tape. To reproduce the material originally typed, the punched tape is automatically examined by the reader and an original quality, error-free hard copy is produced by the typewriter at speeds up to 175 words per minute. The EDITYPER may be programmed to stop at any desired location within the text material for manual insertion of variable text. The EDITYPER may be commanded to stop at any time so that revisions, additions, or deletions of any length may be inserted. These are the only manual operations.

APPLICATIONS

The EDITYPER is ideally suited for use in either the normal business office or the production letter shop. It may be utiiized wherever there is a requirement for the revision of typewritten material.

EDITYPER CAN BE USED FOR:

- Letter writing
- Mailing lists
- Secretarial pools
- Inventory tabulation
- Catalogs and price lists
- Technical proposals
- Engineering specifications
- Contracts
- Legal documents
- Instruction manuals
- Application forms
- Lists of material
- Manuscript drafts
- Computer tape preparation
- Data processing
- Flow diagrams
- Accounting reports
- Collection reminders
- Personnel records
- Invoicing and billing
- Equipment status
- Manufacturing reports
- Premium notices
- Your application

LIST OF ACCESSORIES

- Portable Typewriter Stands
- Paper Tape
- Mylar Tape
- Tape Winders
- Tape Unwinders
- Tape and Hard Copy Folders
- Tape Tennas
- Typewriter Ribbons
- Tape Splicers

WORK FLOW



SPECIFICATIONS:

SPEED:
All unmodified material is automatically typed at 15.4 characters per second or up to 175 words per minute — without errors.

OPERATING FEATURES:
All operating features of the SELECTRIC* action typewriter are maintained.

TYPE STYLES:
Prestige elite 72, code 012 type is standard. A wide variety of other type styles are available in accordance with application requirements.

CODING:
EDITYPER 100 coding is standard.

POWER REQUIREMENTS:
Punch and Reader — 160 watts
Motors — 115 volts AC, 60 Hz, 1.0 amperes
Control Supply — 115 volts AC, 60 Hz, 0.5 amperes

MAINTENANCE:
Ask your EDITYPER 100 representative about the economical maintenance plan — a program of planned preventive maintenance that assures the finest performance.

WRITING FORMATS AND MECHANICAL:

Features		
Carriage Size	13.0″	15.0″
Writing Line	11.0″	13.0″
Maximum Paper Accommodation	13.4″	15.5″
Case Width (including platen knobs)	18.4″	21.0″
Depth (front to back)	15.4″	15.5″
Height	7.1″	7.1″
Total Weight	39 lbs.	41 lbs.

AVAILABLE COLORS:

Any of the following colors may be selected

Sandstone Beige	Sapphire Blue
Topaz Bronze	Onyx Blue
Garnet Rose	Emerald Green
Opal Gray	Raven Black



EDITYPER with Punch and Dual Reader

Epsco incorporated

411 Providence Highway, Westwood, Massachusetts 02090
Tel.: (617) 329-1500 TWX 710-348-0484

BULLETIN 76701

PRINTED IN U.S.A.